

Name Stackable Canister, v	olume 10 lite	rs (with UN	certificatio	on)	
Product code					
KST-10 (UN)					
Product - specifications					Preview
Material		Colour			
HDPE		natural			
Weight	Weight of UN version	n Nominal dimensions (h x w x d)		Stacking dimensions	
385 ±10 g	430 ±10 g	10 g 365 x 195 x 195 mm		334 x 195 x 195 n	
Inner neck diameter		Total capacity			
35 ±0,4 mm		11 ±0,01 l			
Special markings		1			
HDPE symbol, production d	ate, cavity numbe	r, filling line (ap	proximate onl	у).	
Cap - specifications / options					
Туре	Version		Originality ring Additional information		
U-BCAP SK 45/26	basic		V		
U-BCAP SK 45/27 CR GV	gas venting+chil	dren safety closu			
U-BCAP SK 45/27 CR GV	gas vending+chill	aron salety closu			
Material of cap	Material of gasket	-		Tightening torque	
PE	PE			4-5 Nm	
Accessories - Type	Description			Additional information	
71	·				
Options					
Tangible symbol for the bline	d, UN code.				
Other colours upon request,		v ner order (cor	ntact as)		
		y per order (oor		Oh a minel a a man dibili	
UN approval (ADR/RID, IATA, IMDG, RTDG)				Chemical compatibilit	ty
3H1 / Y 1,4 / 150 / **	=		Wetting Solution,	acetic acid, white spirit, nitric acid,	
				water,butyl acetate	e/butyl acetate-saturated wetting solutio
Packing details					
Euro pallet: 80 x 120 x 222 d	cm = 144 pcs (6 la	yers x 24 pcs),	shrink-wrapp	ed.	
-					
Transport of filled products					
We recommend to store ma	x. 2 canisters one	upon the other	r - shrink-wrap	ped.	
Statutary requirements		,			
Heavy metals, noxious and hazardous The above described p			scribed produ	ct is in compliance w	ith:
substances		EU Directive 94/62/EC (Packaging Waste Directive)			
		EU Directive 1935/2004/EC (Materials and articles intended to contact with food)			
		EU Directive 10/2011/EC(Pastic materials and articles intended to contact with food)			
			- 1.		
Notes					
The polyethylene product is	registant to most	chemical produ	icts if you are	in doubt please co	ntact us
The polyethylene product is		•	•	•	illaot us.
	-				bstances harmful to the environment an
health.	, supplied by J.P.	,			
	No. of edition	Validity of docur			
health.		Validity of docur	ment		; special customer's requirements are n