

Name				
Double neck barrel, volume 40 liters, with UN certification				
Product code				
SDH-40 UN				
Product - specifications			Preview	
Material		Colour		
HDPE		natural		
Weight	Weight incl. handles	Nominal dimensions (h x d)		
2000 ±50 g	2120 ±50 g	510 x 358 mm		
Inner neck diameter		Total capacity		
46,8 ±0,5 mm		42,2 ±0,2 l		
Special markings				
HDPE symbol, production date, filling line (approximate only), UN code.				
Cap - specifications / options				
Type	Version	Originality ring	Additional information	
U-K63	basic	<input checked="" type="checkbox"/>	2x	
U-SKGB	basic	<input checked="" type="checkbox"/>	2x	
U-SKGB GV	gas venting closure	<input checked="" type="checkbox"/>	2x	
		<input type="checkbox"/>		
Material of cap	Material of gasket		Tightening torque	
HDPE	PE		17-20 Nm	
Accessories - Type	Description		Additional information	
Options				
Other colours upon request, minimum quantity per order (contact as).				
-				
UN approval (ADR/RID, IATA, IMDG, RTDG)		Chemical compatibility		
1H1/ X / 250/**		Wetting Solution, acetic acid, nitric acid, water, butyl acetate/butyl acetate-saturated wetting solution.		
Packing details				
Euro pallet (80 x 120 cm): *85 x 125 x 167 cm = 21 pcs (3 layers x 7 pcs), shrink-wrapped.				
* Note: The products overhang the pallet.				
-				
Transport of filled products				
-				
Statutory requirements				
Heavy metals, noxious and hazardous substances		The above described product is in compliance with: EU Directive 94/62/EC (Packaging Waste Directive) EU Directive 1935/2004/EC (Materials and articles intended to contact with food) EU Directive 10/2011/EC (Plastic materials and articles intended to contact with food)		
Notes				
The polyethylene product is resistant to most chemical products, if you are in doubt, please, contact us.				
The polyethylene product is light, odorless and suitable for packaging of food.				
Product and their packaging, supplied by J.P. PLAST, Ltd. contain no noxious or hazardous substances harmful to the environment and/or health.				
Date of issue	No. of edition	Validity of document		
March 2020	9	The specification includes general information; special customer's requirements are not listed. The data are valid from the stated date. Document verification also at www.jpplast.eu		

